



# INDEX MAPS.

**T. 26N. R. 15E. 2<sup>nd</sup> Mer.**



**T. 27N. R. 15E. 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

444

Township 27 North Range 16 East 2<sup>nd</sup> Mer. Ind<sup>th</sup>

Ch. Lk. South Boundary. Var. mm

East On S. Side of Sec. 31.

- 40.00 Set gr. Sec. post, from which  
 a B. Walnut 10 in. dia. bears N<sup>o</sup> 39 E. 15<sup>th</sup> lbs.  
 a B. Oak 8 " " " N<sup>o</sup> 57 W. 17 "  
 50.00 Road from Greenville to Fort Wayne  
 80.00 Set post Cor. Secs. 31 & 32 from which  
 a W. Ash 18 in. dia. bears N<sup>o</sup> 85 W. 15 lbs  
 a Beech 24 " " " N<sup>o</sup> 38 E. 75 "  
 Land 2<sup>nd</sup> rate Tim. Bl. ash, Elm, Lynn  
 Hickory, Sugar, Beech &c

East On S. Side Sec. 32.

- 40.00 Set gr. Sec. post, from which  
 a B. ash 6 in. dia. bears N<sup>o</sup> 41 W. 30 lbs. 2<sup>nd</sup>.  
 a W. Oak 18 " " " N<sup>o</sup> 5 E. 53 " "  
 80.00 Set post Cor. Secs. 32 & 33. from which  
 a Beech 24 in. dia. bears N<sup>o</sup> 44 E. 36 lbs.  
 a Do 15 " " " N<sup>o</sup> 45 W. 56 "  
 Land 2<sup>nd</sup> rate Tim. W. & B. ash Elm,  
 Lynn, Beech, Sugar, Spice & Pitche

East On S. Side of Sec. 33.

- 40.00 Set gr. Sec. post, from which  
 a W. Oak 50 in. dia. bears N<sup>o</sup> 45 W. 5 lbs  
 a Beech 12 " " " N<sup>o</sup> 43 E. 15 "  
 78.50 Cropped Blue Buck 75 lbs. wide ens N. E.  
 80.00 Set post Cor. to Secs. 33 & 34. from which  
 a Sycamore 60 in. dia. bears N<sup>o</sup> 64 W. 47 lbs  
 a Beech 24 " " " N<sup>o</sup> 14 E. 42 "  
 Land 2<sup>nd</sup> rate Timber Beech W & B. Oak  
 W. Ash, Sugar, &c Spice & P. Ash.

East On S. Side Sec. 34.

- 40.00 Set gr. Sec. post, from which

442

S. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. &  
Ill. M.

a Dogwood 5 in. dia. bears N 72 W 3 lbs  
 a Beech 12 " " " N 72 E 16 "  
 79.00 a creek 10 lbs. wide crs. N. W.  
 80.00 Set post Cor. Secs. 34 & 35, from which  
 a Red Oak, 20 in. dia. bears N 24 W 40 lbs  
 a Sugar 24 " " " N 47 E 52 "  
 Land, Sec 2<sup>nd</sup> rate Timber Red & W. Oak  
 Beech, Sugar, W. ash Spruce &c. Spruce &c

East On S. Side Sec. 35.  
 3.22 Interceted State Line bet. Indiana &  
 Ohio  
 Surveyed in 1822.  
 by Jas. Riley  
 Dep. Sur.

### North Boundary

East On S. Side Sec. 31. T 28 N. R. 14 E.  
 210.00 Set gr. Sec. post, from which  
 a Hickory 15 in. dia. bears N 20 E 42 lbs  
 a Do 12 " " " N 34 W 56 "  
 80.00 Set post. Cor. Secs. 31 & 32, from which  
 a W. Oak 18 in. dia. bears N 33 E 61 lbs  
 a Do 10 " " " N 22 W 38 "  
 Land, 2<sup>nd</sup> rate Timber W. Oak, Sugar,  
 W. ash, & Walnut.

East On S. Side Sec. 32. T 28 N. R. 14 E.  
 24.00 To a Met Weather run 12 lbs wide crs S. W.  
 30.10 To Ft Wayne Road crs. NW.  
 40.00 Set gr. Sec. post, from which  
 a B. Ash 5 in. dia. bears S 6 E, 16 lbs. Det.  
 a Do 8 " " " N 28 W 17 " "  
 80.00 Set post Cor. Secs. 32 & 33, from which

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind <sup>443</sup>

Ch. Sh. a B. Oak 18 in. dia. bears S 23 E, 9 lbs. Dist.  
a W. ash 16 " " " N 35 W, 3 " "  
Land 2<sup>nd</sup> rate Timber W. & B. ash, Elm,  
 Hickory W. & B. Oak Poplar, Cottonwood,  
 Sycamore, Spruce, Ironwood, & Ash.

East On S. Side Sec. 33. T. 28 N. R. 14 E.

110.00 Set gr. Sec. post, from which  
a W. Oak 10 in. dia. bears N 54 W, 26 lbs.  
a Hickory 12 " " " N 34 E, 30 "  
80.00 Set post Cor. Secs. 33 & 34, from which  
a Beech 12 in. dia. bears N 74 E, 43 lbs.  
a W. Ash 14 " " " N 54 W, 26 "  
Land level & 2<sup>nd</sup> rate Tim. W. Oak,  
 W. & B. ash Elm, Sycam, Cottonwood  
 Walnut, Poplar, Syc. Beech P. ash Spruce  
 & Ironwood

East On S. Side Sec. 34. T. 28 N. R. 14 E.

36.90 a Run 10 lbs. wide ev. South  
110.00 Set gr. Sec. post, from which  
a Red Oak 15 in. dia. bears N 58 W, 55 lbs.  
a B. Oak 14 " " " N 52 E, 40 "  
80.00 Set post Cor. Secs. 34 & 35, from which  
a Hickory 15 in. dia. bears N 34 E, 17 lbs.  
a Sycamore 24 " " " N 55 W, 60 "  
Land level & 3<sup>rd</sup> rate Timber W. & B. ash  
 Elm, Hickory, Cottonwood Sycamore, Maple  
 P. ash & Willow

East On S. Side Sec. 35. T. 28 N. R. 14 E.

8.90 Intersected State Line bet. Ohio & Indiana  
& set post, from which  
a B. Ash. 10 in. dia bears S 85 W, 20 lbs. Dist.  
a Hickory 12 " " " N 57 W 31 " "  
Surveyed in 1822.



444

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. lks. Surveyed by  
J<sup>rs</sup> Riley,  
Dep. Sur.

West Boundary

Var. 5° 15'

c North On E. Side of Sec. 36. T. 27 N. R. 14 E.  
24.08 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 8 in. dia bears N 22 W. 2 lks.  
a Do 30 " " " S 9 E, 38 "

61.93 a Beech 12 in. dia.

80.00 Set post Cor. of Secs. 25 & 36 from which  
a Beech 12 in. dia. bears S 18 W, 2 lks. Dist.  
a Do 15 " " " N 4 E, 45 " "  
Level Land, Timber Beech, ash, Hickory.

c North On E. Side of Sec. 25. T. 27 N. R. 14 E.

14.00 a W. Oak 36 in. dia.

40.00 Set gr. Sec. post, from which  
an Ironwood 4 in. dia. bears S 72 E, 8 lks  
a Do 4 " " " N 1 W, 18 "

47.00 a Brook 15 lks. wide exp. N. E.

68.50 a Sycamore 30 in. dia.

90.00 Set post Cor. Secs. 24 & 25, from which  
a Beech 12 in. dia bears S 12 W, 30 lks. Dist.  
a Do 15 " " " N 77 W, 30 " "  
Land as above.

c North On E. Side Sec. 24. T. 27 N. R. 14 E.

33.12 a Beech 14 in. dia.

40 00 Set gr. Sec. post, from which  
an ash 6 in. dia. bears S 10 E, 24 lks. Dist.  
a Do 6 " " " N 42 W, 22 " "

33.90 a W. Oak 18 in. dia.

80.00 Set post Cor. Secs. 13 & 24, from which

445

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind.

a Hickory 12 in. dia. bears S 32 W. 27 lbs.  
 a Beech 14 " " " N 17 W. 17 "  
 Land, Soil Tim. Oak, Beech, Hickory.

North On E. Side of Sec. 13 T. 27 N. R. 14 E.

18.00 a Brook 6 lbs. wide est. N. E.

23.00 a Road runs N. W.

40.00 Set gr. Sec. post, from which  
 a Beech 6 in. dia. bears S 4 E, 23 lbs Det  
 an Lionwood 4 " " " N 60 W 6 " "

60.00 a Beech 60 lbs. wide est. N. W.

68.10 a Beech 18 in. dia.

80.00 Set post Cor. Secs. 12 & 13. from which  
 an Ash 13 in. dia. bears S 82 W. 12 lbs.  
 a Beech 18 " " " N 55 E, 6 "  
 Land, as before.

North On E. Side of Sec. 12. T. 27 N. R. 14 E.

15.80 Intersected St Mary's River N. W. & set post  
 an ash 10 in. dia. bears N 33 W. 8 lbs Det.  
 a Lynn 8 " " " N 87 E. 32 " "

18.00 Set post on the cr. Bank from which  
 a Lynn 12 in. dia. bears S 87 W. 18 lbs  
 an Lionwood 10 " " " N 62 E, 26 "

40.00 Set gr. Sec. post, from which  
 a Beech 18 in. dia. bears N 31 W. 7 lbs Det  
 a Hickory 13 " " " S 60 E, 3 " "

80.00 Set post Cor. Secs. 1 & 12, from which  
 a Dogwood 6 in. dia. bears N 47 W. 20 lbs.  
 a W. Oak 8 " " " S 18 E, 17 "  
 Our Oak & Hickory Land Undergrowth  
 Hazle &c.

North On E. Side Sec. 1. T. 27 N. R. 14 E.

40.00 Set gr. Sec. post, from which  
 a Hickory 14 in. dia. bears N 28 W. 23 lbs.

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>g</sup>

At the an Ironwood 4 in. dia bears S 2 E, 9 lbs. Est.  
 80.00 Set post Cor. to T. 27 & 28 N. R. 14 & 15 E. fr. wh.  
 a W. Oak 13 in. dia. bears N 5 E, 13 lbs.  
 an Ironwood 7 " " " S 44 E, 26 "  
 Land as above.

Surveyed March 10<sup>th</sup> 1822

Surveyed By

Jas. H. M<sup>r</sup>. Donald  
 Dep. Sur.

### Subdivisions.

Var. in

North Between Secs. 31 & 32.

26.29 an Elm 20 in. dia.

40.00 Set gr. Sec. post, from which  
 a W. Ash. 8 in. dia bears S 44 E, 26 lbs.  
 a W. Oak 14 " " " N 54 W, 19 "

66.40 a Beech 18 in. dia.

80.00 Set post Cor. Secs. 29, 30, 31 & 32 fr. wh.  
 a Sugar 12 in. dia. bears N 48 E, 22 lbs.  
 a Beech 10 " " " S 63 W, 24 "  
 Land 1<sup>st</sup> mile under water, Timber  
 Beech, Sugar, Hickory, Linn. W. R. B. Oak  
 Ironwood on last half Spruce

West Between Secs. 30 & 31 (On Random)

16.00 Road to Greenville & Ft Wayne

40.00 Set Temp. gr. Sec. post

79.89 Intersected West Boundary 160 lbs N of  
 post.

Timber Same as last half mile  
 Land, 2<sup>nd</sup> rate

East Corner line between Secs. 30 & 31.

39.94 Set gr. Sec. post, from which

a W. Ash 30 in. dia. bears S 36 E, 56 lbs

447

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. and <sup>a</sup>/<sub>n</sub>

ch. Pk. a Beech 12 in. dia. bears  $\sqrt{36}$  N. 18 W.  
79.89 Sec. Cor.

---

North Between Secs. 29 & 30

17.04 an Elm 24 in. dia.

40.00 Set gr. Sec. post, from which

a B. Ash 10 in. dia. bears  $\sqrt{46}$  E. 30 W. Dist.

a B. Walnut 6 " " " S 61 W. 16 " "

41.00 a River 25 fms. wide cor. S.E.

66.40 a W. oak 48 in. dia.

80.00 Set post Cor. Secs. 19, 20, 29 & 30. from wh.

a Beech 24 in. dia. bears  $\sqrt{24}$  E. 53 W.

a Do 16 " " " S 57 W. 20 "

Land, and Timber Same as last

North half mile underground thick

Hemlock, Birch, & Water Birch, Spruce,

---

West Between Secs. 19 & 30. (Random)

9.00 Greenville & Fort Wayne Road

21.07 a Beech 24 in. dia.

32.50 to a sup. prairie

38.00 Left it

80.40 Intersected West Boundary 17 fms N. of post  
Land & Timber Same

---

East Correct line bet. Secs. 19 & 30.

40.00 Set gr. Sec. post, from which

a Beech 16 in. dia. bears S 24 W. 17 W. Dist.

a Do - " " " N 24 E. 26 " "

80.40 Section Corner

---

North Between Secs. 19 & 20.

8.00 To a Creek 50 fms wide cor. S.E.

25.56 a Hickory 16 in. dia.

29.00 Same Creek 75 fms. wide cor. N.W.

40.00 Set gr. Sec. post, from which



S. 27 N. T6. 15 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

ch. Lk. a Hickory 14 in. dia. bears S 12 W, 22 lbs.  
 a Do 18 " " " N 36 E, 47 "  
 65.43 a Beech 12 in. dia.  
 80.00 Set post Cor. Secs. 17, 18, 19 & 20 fr. wh.  
 a Beech 18 in. dia. bears N 15 E, 49 lbs.  
 a Do 12 " " " S 69 W, 10 "  
 Land, 2<sup>nd</sup> rate Timber Beech, Sugar,  
 W. B. & B. Oak, Hickory W. & B. Walnut  
 Lym W. Ash &c

West / Random bet. Secs. 18 & 19  
 3 45 To a Beech 7 5 lbs. wide crs N. W.  
 60.50 Road to Ft. Wayne or Greenville  
 80.30 Intersected E. Boundary, 10 lbs. N. of post  
 Land, and Timber Same

East Correct line bet. Secs. 18 & 19  
 40.15 Set gr. Sec. post, from which  
 a B. Oak 24 in. dia. bears S 51 E, 9 lbs. Det.  
 a Sugar 12 " " " N 33 W, 38 " "  
 80.30 Section Corner.

North Between Secs. 17 & 18  
 25.05 a W. Oak 10 in. dia.  
 28.90 To St. Mary's River & Set post Cor. Secs. 17 & 18  
 a W. ash 24 in. dia. bears S 72 W, 44 lbs. Det.  
 a Buckeye 12 " " " S 2 E, 33 " "  
 Land 2<sup>nd</sup> rate Tim W. & B. ash Elm Lym  
 Sugar Buckeye walnut &c  
 31.08 across the River & Set post, from which  
 a B. Oak 15 in. dia. bears N 73 E, 20 lbs. Det.  
 a Do " 20 " " " N 61 W, 67 " "  
 40.00 Set gr. Sec. post, from which  
 a Beech 10 in. dia. bears S 56 E, 16 lbs. Det.  
 a Sugar 30 " " " N 30 W, 31 " "  
 66.50 a Creek 6 lbs. wide, crs S. W.

449

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

70.00 a W. ash 12 in. dia.  
 80.00 Set post Cor. Secs. 7, 8, 17 & 18, from wh.  
 a W. ash 12 in. dia. bears N 62 E 22 lbs. Dist.  
 a W. Oak 20 " " " N 79 W. 17 " "  
 Land, good 2<sup>nd</sup> rate Timber, Beech, Sugar,  
 Box W. ash, W. oak &c Spruce & Dogwood.

West Between Secs. 7 & 18.

4.50 a Creek 6 lbs. wide crs. S.  
 34.00 a " 10 " " " N. W.  
 40.00 Set gr. Sec. post, (Tenn)  
 51.55 To St Mary's River  
 55.61 Acrop the River

North Between Secs. 7 & 8.

9.50 a Creek 6 lbs. wide crs. N. W.  
 19.44 a Lym 24 in. dia.  
 40.00 Set gr. Sec. post, from which  
 an Elm 36 in. dia bears S 83 E, 52 lbs.  
 a Red Oak 60 " " N 71 W. 66 "  
 80.00 Set post Cor. Secs. 5, 6, 7 & 8 from which  
 a Beech 24 in. dia. bears N 70 E, 30 lbs. Dist.  
 a Do 24 " " " S 59 W. 47 " "  
 Land 2<sup>nd</sup> rate Timber, Beech B. & W.  
 Oak, Hickory, W. ash Sugar, Spruce Ironwood.

West An Random bet. Secs. 6 & 7.

9.20 a Creek 10 lbs. wide crs. S. W.  
 40.00 Set Temp. gr. Sec. post.  
 59.60 a Creek 3 lbs. wide crs. S. E.  
 81.59 Intersected W. Boundary 40 lbs. N. of post  
 Land, 2<sup>nd</sup> rate Timber W. & B. Oak,  
 Hickory &c Ironwood &c

East Correct line bet. Secs. 6 & 7.

40.79 Set gr. Sec. post, from which

450 ~

S 27 N. N. 15 E. 2<sup>nd</sup> Mer. Ind a  
ch. th.

a Hickory 12 in. dia bears N 39 E. 11 ths.  
a Do 15 " " " S 3 E 22 "  
81.59 Section Corner.

North Between Secs. 5 &amp; 6.

10.50 a Creek 10 ths. wide on S.W.  
20.75 a W. Oak 10 in. dia.  
40.00 Set gr. Sec. post, from which  
a W. Oak 20 in. dia. bears S 38 E. 19 ths. Det.  
a Do 18 " " " N 62 W 14 " "  
71.68 a Hickory 20 in. dia.  
79.52 Intersected N. Boundary 3.09 ths E. of post  
Set post Cor. to Secs. 5 & 6, from which  
a Hickory 12 in. dia. bears S 52 E. 36 ths. Det.  
an Elm 24 " " " S 29 W 30 " "  
Land and Timber Same

North Between Secs. 32 &amp; 33

19.69 an Elm 24 in. dia.  
40.00 Set gr. Sec. post, from which  
a Dogwood 6 in. dia. bears S 80 E. 48 ths.  
an Ironwood 5 " " " N 83 W. 9 "  
78.20 an Elm 24 in. dia.  
80.00 Set post Cor. to Secs. 28, 29, 32 & 33 fr. wh.  
a Hickory 12 in. dia. bears S 44 W. 33 ths. Det.  
a Do 8 " " " N 40 E 53 " "  
Land 3<sup>rd</sup> rate Tim. Hickory Beech, Sugar,  
Elm, Lym, Sycamore W. P. & B. Oak,  
Buckeye & Spice P. Ash.

West Random bet. Secs. 29 &amp; 32.

Temp. gr. Sec. post

80.50 Intersected N & S line 20 ths N. of post  
Land & Timber Same

East Corner line bet. Secs. 29 &amp; 32

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup> 451

40.25 Set gr. Sec. post, from which  
a Hickory 5 in. dia. bears N 22 W 24 lbs  
a Do 6 " " " S 68 E 6 "  
80.50 Sec. Cor.

North Between Secs. 28 & 29.

22.24 a Beech 18 in. dia.  
40.00 Set gr. Sec. post, from which  
an Ironwood 8 in. dia bears N 47 E 29  
a Sugar 5 " " " S 30 W 23 lbs  
66.26 a Beech 18 in. dia.  
80.00 Set post Cor. Secs. 20, 21, 28 & 29 fr. wh.  
an Ironwood 9 in. dia bears S 69 E 3 lbs.  
a W. oak 8 " " " N 69 W 16 "  
Land, 2<sup>nd</sup> rate Timber Same as before

West On Random bet. Secs. 20 & 29.

40.00 Set Temp. gr. Sec. post  
80.12 Intersected  
Land & Timber Same

East Corner line bet. Secs. 20 & 29.

40.16 Set gr. Sec. post, from which  
a W. oak 6 in. dia bears S 24 W 31 lbs.  
a Lynn 18 " " " N 43 E 28 "  
80.12 Sec. Cor.

North Between Secs. 20 & 21.

13.40 To St Mary's River on a high bank.  
a W. oak 18 in dia. bears S 32 E 28 lbs  
a W oak 18 " " " N 48 W 33 "  
17.27 Cross the River, and set post Cor. to 20 & 21.  
a W. Hickory 18 in. dia. bears N 12 E 33 lbs  
a Lynn 20 " " " N 15 W 61 "  
40.00 Set gr. Sec. post, from which  
a Sugar 18 in. dia. bears S 6 E 31 lbs



S. 27 N. T. 15 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>/<sub>2</sub>

chs. lbs. a Beech 8 in. dia bears N 28 W. 15 lbs. Det.  
 69.92 a Beech 26 " " "  
 80.00 Set post Cor. to Secs.  
 a W. Ash, 18 in. dia bears S 28 E. 35 lbs  
 a Buckeye 14 " " " N 62 W. 32 "  
 Land 1<sup>st</sup> rate Timber W. & Blue Ash,  
 W. Hickory, Lymn, Sugar, Walnut, Buckeye

West Between Secs. 17 & 20.  
 9.40 To a branch known by the name of  
 2 1/2 mile Creek, crs. S.W.  
 40.00 Set gr. Sec. post, Temp.  
 56.02 Intersected the St Mary's River crs. N.W.  
 & Set post Cor. to Secs. 17 & 20.  
 62.23 Crossed the River & Set Temp. post  
 80.82 Intersected Sec. line 10 lbs. N. of post  
 Land 1<sup>st</sup> rate Timber N. W. & Blue Ash  
 Elm, Walnut, & Buckeye Sugar &c

East Correct line bet Secs. 17 & 20.  
 18.59 Set post Cor. to Secs. 17 & 20 On W bank of River  
 a Hickory 18 in. dia. bears S 20 W. 13 lbs. Det.  
 a Lymn 18 " " " N 60 W. 57 " "  
 24.80 Set post On opposite bank Cor. Secs. 17 & 20  
 a W. Walnut 18 in. dia. bears S 45 E. 22 lbs. Det.  
 a Water Beech 10 " " " N 43 W. 14 " "  
 40.00 Set gr. Sec. post, from which  
 a Hackberry 8 in. dia. bears S 12 W. 29 lbs. Det.  
 a Beech 18 " " " N 25 E. 17 " "  
 80.82 Sec. Cor.

North Between Secs. 16 & 17.  
 4.00 Crossed 2 1/2 mile Creek crs. S.W.  
 20.75 a W. Ash 16 in. dia.  
 40.00 Set gr. Sec. post, from which  
 an Ironwood 5 in. dia. bears S 64 W. 11 lbs. Det.

453

T. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. Lk. a W. Oak 18 in. dia. bears N 78 E 20 lbs.  
 62.25 a W Oak 15 " "  
 80.00 Set post Cor. Secs. 8, 9. 16 & 17. fr. wh.  
 a W. Oak 14 in. dia. bears S 65 E 4 lbs  
 a R. Oak 20 " " " N 82 W 4 "  
 Land, S. half 1<sup>st</sup> rate Tim. Sugar,  
 Lynn, Elm, R. & W. Oak Buckeye &  
 N. half 2<sup>nd</sup> rate Timber R & W ash  
 Hickory W. ash. Birch & Ironwood &

---

West Between Secs. 8 & 17. (on Random)  
 40.00 Set gr. Sec. post (Temp)  
 79.78 Intersected N & S line 30 lbs. N. of post  
 Land & Timber Same as last half. North

---

East Corner line bet. Secs. 8 & 17.  
 39.89 Set gr. Sec. post, from which  
 a R. Oak 20 in. dia bears N 28 E 2 lbs. Oct  
 a Hickory 16 " " " S 4 E 8 " "  
 79.78 Set. Cor.

---

North Between Secs. 8 & 9.  
 22.25 a R. Oak 15 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a R. Oak 24 in. dia. bears S 88 E 8 lbs. Oct.  
 an Elm 20 " " " N 90 W 35 " "  
 53.00 Crossed Road from St Marys to Ft.  
 Wayne N. W.  
 63.95 a Red Oak 15 in. dia.  
 80.00 Set post Cor. Secs. 4, 5. 8 & 9. from wh.  
 a W. Oak 10 in. dia. bears S 78 W 14 lbs  
 a Hickory 10 " " " S 73 E 32 "

---

West On Random bet. Secs. 5 & 8.  
 8.00 Crossed Fort Wayne road cor. N. W.  
 20.00 a Creek 6 lbs. wide cor. S W.

454

S. 27 N. T<sub>4</sub>. 15 E. 2<sup>nd</sup> Mer. Ind<sup>g</sup>

cont. 4th.

40.00 Set Temp. gr. Sec. post  
 80.23 Intersected line 37 lbs. N. of post  
 Land & Timber Same.

East Correct line bet. Secs. 3 & 4.  
 40 11 Set gr. Sec. post, from which  
 a Hickory 20 in. dia. bears S 64 E. 25 lbs.  
 a W. Oak 8 " " " N 78 W. 25 "  
 80.23 Section Corner.

North Between Secs. 4 & 5.

24 04 a Hickory 24 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a W. Oak 24 in. dia. bears N 78 E. 52 lbs  
 an Elm 16 " " " S 72 W. 59 "  
 56.94 a Hickory 20 in. dia.  
 79.24 Intersected N. Boundary 367 lbs. E. of  
 post. & set post Cor. Secs. 4 & 5, from which  
 a W. Oak 30 in. dia. bears S 71 E. 19 lbs. Det.  
 a W. Oak 24 " " " S 81 W. 37 " "  
 Land, and Timber Same

North Between Secs. 33 & 34.

2.00 To Blue Creek. on N. E.  
 4.50 Crossed Do "  
 19.40 a Beech 20 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Hickory 18 in. dia. bears S 63 E. 39 lbs  
 a W. Oak 4 " " " " N 62 W. 11 "  
 57.90 an Elm 12 in. dia.  
 78.50 a Creek 10 lbs. wide on N. E.  
 80.00 Set post Cor. Secs. 27, 28, 33 & 34  
 a Hickory 24 in. dia. bears S 54 E. 43 lbs. Det.  
 a Do 8 " " " " N 53 W. 15 " "  
 Land level & 2<sup>nd</sup> rate Timber W. & N.  
 Oak, Beech, W. Oak, Hickory & Hornwood

S. 27 N. N. 15 E. 2<sup>nd</sup> Mer. Ind <sup>455</sup><sub>a</sub>

West Between Secs. 28 & 33 on Mandom  
2.00 a Creek 10 lbs. wide ers. S.E.

40.00 Set Temp. gr. Sec. post

45.00 a Creek 10 lbs. wide ers N.E.

80.18 Intersected N & S line 3 lbs. N. of post  
Land 2<sup>nd</sup> rate Tim. Beech, Lyrn,  
Sugar, W. Oak, Hickory & Spruce & Post.

East Correct line bet Secs. 28 & 33.

40.09 Set gr. Sec. post, from which  
a Beech 16 in. dia bears N 29 W. 18 lbs  
a Do 18 " " " S 62 E 25 "

80.18 Section Corner

North Between Secs. 27 & 28.  
<sup>24.15</sup> a Bl. Oak 24 in. diam.

31.30 To blue Creek 75 lbs wide ers. N.W.

40.00 Set gr. Sec. post, from which  
a W. Oak 24 in. dia. bears N 87 W. 13 lbs  
a Locust 18 " " " S 81 E. 21 "

51.15 To Blue Creek ers. N.E.

52.50 To St. Mary's River ers N.W. & set  
post, from which

a Haw 6 in. dia bears N 64 W. 13 lbs  
a Sycamore 15 in. dia. bears S 76 E. 54 "

Land, 1<sup>st</sup> rate Timber Sugar, W. &  
B. Walnut, W. & B. Oak, Elm, Lyrn,  
Hickory & Haw.

East On true line bet. Secs. 21 & 28

14.50 a Creek 3 lbs. wide ers. N.

18.37 To St. Mary's River N.W. & set post  
a Hickory 15 in. dia. bears N 57 W. 7 lbs.  
a W. Oak 15 " " " S 43 E. 4 "

Land 2<sup>nd</sup> rate Tim W. Oak, Beech, &  
Ironwood



S. 27 N. T<sub>4</sub>. 15 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>12<sup>th</sup> Sec.

North Between Secs. 21 &amp; 22.

East Between Secs. 16 &amp; 21

26.8 Intersected Reuare's Reservation line & set post  
 a W. Oak 28 in. dia. bears S 50 W, 47 lks.  
 a Hickory 18 " " " N 48 W, 45 "  
 Measured N. on Reservation line 29.07  
 to the corner of Reservation.

South Between Secs. 15 &amp; 16.

22.96 a Hickory 12 in. dia.

28.50 To Ft. Wayne Road crs. N. W.

40.00 Set gr. Sec. post, from which  
 a W. Oak 24 in. dia. bears S 52 W, 36 lks. Det.  
 a W. Oak 20 " " " N 57 E, 65 " "

53.30 Intersected N. line of Reuare's Reservation  
 & set post, from which

a W. Oak 8 in dia bears N 12 E, 30 lks.

a W. Oak 24 " " " N 28 W, 27 "

Land, 2<sup>nd</sup> rate Timber B. & W. Oak Hick.  
 W. Ash &c. Lionwood &c.

Measured E. on Reservation line to the  
 N. E. corner of Reservation & found the  
 distance to be 33.03.

East Between Secs. 9 &amp; 16.

16.27 a W. Oak 24 in. dia.

31.00 Crossed Ft. Wayne Road

40.00 Set gr. Sec. post, from which  
 a Hickory 12 in. dia. bears S 6 E, 33 lks. Det.  
 a Do 16 " " " N 1 W, 33 " "

crossed 24 mile creek crs. S. W.

67.05 a Beech 10 in. dia.

80.00 Set post cor. Secs. 9, 14, 15 & 16 from which  
 a W. Ash 6 in. dia. bears N 61 W, 15 lks. Det.  
 a Hickory 16 " " " S 53 E 18 " "

457

S. 27 N. Sec. 15 E. 2<sup>nd</sup> Mer. Ind 2

Ch. Lk. Land, 2<sup>nd</sup> rate Timber, B. & W. Oak  
Hickory W. ash &c Ironwood & Hazel

North Between Secs. 9 & 10.

14.80 a W. Oak 40 in. dia.

18.40 a Creek 5 lbs. wide crs. S. W.

40.00 Set gr. Sec. post, from which  
a Hickory 18 in dia bears S 78 W, 37 lbs. Set.  
a W. Oak 24 " " " N 57 E, 5 " "

53.40. a Creek 5 lbs. wide crs. S. W.

70.25 a W. Ash 10 in. dia.

80.00 Set post Cor. Secs. 3, 4, 9 & 10. from which  
a Hickory 10 in. dia bears S 57 W, 20 lbs  
a Do 20 " " " N 34 E, 35 "

Land 2<sup>nd</sup> rate Timber B. & W. Oak, Hickory  
W. ash, Beech, &c Ironwood, & Hazel

West Between Sec<sup>s</sup> 4 & 9 (on Random)

17.00 a Creek 5 lbs. wide crs. S. W.

40.00 Set Temp. gr. Sec. post.

79.80 Intersected N. & S line 20 lbs. S. of post  
Land, 2<sup>nd</sup> rate Timber B. & W. Oak,  
Hickory, B. & W. ash, Beech, &c.

East Corner line bet. Sec<sup>s</sup> 4 & 9.

39.90 Set gr. Sec. post from which  
a Bl. Ash 8 in. dia. bears S 28 W, 14 lbs  
a Hickory 16 " " " N 63 E, 34 "

79.80 Section Corner.

North Between Secs 4 & 3

17.00 a Creek 5 lbs wide crs. S. W

28.31 a Sugar 18 in. dia.

40.00 Set gr. Sec. post, from which  
a W. ash 10 in. dia. bears S 43 E, 5 lbs. Set.  
a Beech 12 " " " N 41 W, 39 " "

S. 27 N. R. 15 E. 2<sup>nd</sup> Mer. Ind <sup>o</sup>

58.60 a B. Oak 18 in. dia.  
 79.73 Intersected N. Boundary 320 lbs. E. of post  
 I set post Cor. Sec. 3 & 4 from which  
 a Lynn 10 in. dia bears S 44 E, 44 lbs. Dist  
 a B. Oak 8 " " " S 60 W, 31 " "  
 Land, 2<sup>nd</sup> rate Timber, B. W. & B. Oak  
 Hick, Elm, Poplar, Beech, Sugar, Spice  
 and P. Ash.

North Between Secs. 34 & 35.  
 12.00 a Creek 10 lbs wide ers N. E.  
 19.96 a Beech 18 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a B. Ash 8 in. dia. bears S 34 E, 27 lbs. Dist.  
 an Elm 30 " " " N 26 W, 19 " "  
 80.00 Set post Cor. Sec. 26, 27, 34 & 35 from wh.  
 a B. Oak 60 in. dia. bears N 61 W, 35 lbs.  
 a Buckeye 12 " " " S 62 E, 31 "  
 Land, S. half 2<sup>nd</sup> rate N. half 1<sup>st</sup> rate  
 Timber, Sugar, W. Ash, Walnut, Lynn, Beech  
 B. Oak & Spice.

West Between Secs 27 & 34.  
 35.50 To Blue Creek 7 5 lbs wide ers. N. W.  
 40.00 Set Temp. gr. Sec. post  
 42.00 To Blue Creek ers. S. W.  
 46.00 To Do " " N. W.  
 54.00 To Do " " S. W.  
 60.00 To Do " " N. W.  
 64.00 To " " " S. W.  
 68.00 To " " " N. W.  
 79.84 Intersected N. & S line 27 lbs. N. of post.  
 Land, 1<sup>st</sup> rate Timber, Sugar, Lynn,  
 W. Ash, B. & W. Walnut, W. Hickory, Spice

East Corner line bet Secs. 27 & 34.

459

T. 27 N. Sec. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. 4th.

- 39.92 Set gr. Sec. post, from which  
an Elm 12 in. dia. bears S 58 E, 15 lks. dist.  
a B. Walnut 16 " " " N 34 W, 23 " "
- 79.84 Section corner.

East Between Sec. 26 & 25.

- 2.82 Intersected Stake Line & Set post from wh.  
an Elm 30 in. dia. bears N 22 W, 31 lks. dist. «  
a W. Oak 18 " " " S 83 W, 23 " "  
Land 1<sup>st</sup> rate Timber, Walnut, Buckeye,  
Sugar & pawpaw &c

North Between Secs. 26 & 27.

- 6.36 To St Mary's River & Set post, from which  
a Buckeye 20 in. dia. bears S 47 E, 33 lks.  
a Do 18 " " " S 78 W, 37 "  
Land, and Timber Same
- 8.06 Cross River and Set post, from which  
a W. Oak 12 in. dia. bears S 79 E, 39 lks.  
a Do " 18 " " " S 68 W, 5 "
- 33.07 Intersected F. B. R. Reserve line & Set post.  
a W. ash 6 in. dia bears S 50 W, 84 lks.  
a Hickory 20 " " " S 34 E, 51 "  
Good 2<sup>nd</sup> rate Land Timber W. Oak W.  
ash, Sugar, Beech, &c Saw & Hogs  
Measured W. on Reserve line to the  
west corner of Reserve and found the  
dist. to be 19.44

Measured from corner to Sec 15 22 on  
W. line of F. B. R. Reservation

- 40.00 Set gr. Sec. post from which  
a W. ash " in dia bears N 36 W, 19 lks.  
a Hickory 15 " " " S 65 W, 30 "
- 80.00 Set post Cor. Secs. 22 & 27. from which  
a Beech 24 in. dia. bears S 81 W, 19 lks.

(South)



460 S. 27 N. Tl. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. Lk. a Sugar 30 in. dia bears N 5 W, 120 lbs  
Land, N. half 2<sup>nd</sup> rate Tim. B & W.  
Oak Hickory W. Ash &c. S half 1<sup>st</sup> rate  
Measured S. on B. line to the S.W.  
corner and found the distance to be  
47.60

West Between Secs. 22 & 27  
Commencing at 19.44  
40.00 Set gr. Sec. post, from which  
a W. ash 12 in. dia bears N 44 E, 23 lbs  
a Hickory 4 " " " S 47 W, 19 "  
47.99 Intersected B. Reserve line & set post  
an Elm 12 in. dia. bears N 34 E, 38 lbs  
a Hickory 18 " " " S 55 E, 23 "  
Land, 1<sup>st</sup> rate Tim. W. & B. ash, Spruce,  
Sugar & Buckeye,  
Measured S. on E. line B. Reservation  
44.50 To corner of Reservation on St.  
Mary's River.

Measured South on East line of River's  
Reservation from N. E. corner of Reservation  
26 chs. thence  
East Between Secs. 15 & 22.  
33.03 Commenced at  
38.00 Crossed Ft. Wayne Road ccs N.W.  
40.00 Set gr. Sec. post, from which  
a W. oak 18 in. dia. bears S 12 W, 58 lbs,  
a Do 18 " " " N 20 E, 44 "  
61.26 Intersected J. B. B. Reservation Line  
& set post, from which  
a W. ash 16 in. dia. bears S 79 W, 18 lbs.  
a Do 12 " " " N 8 W, 41 "  
Land 2<sup>nd</sup> rate Tim. B. & W. Oak,  
Hickory, W. Ash.

461

S. 27 N. T. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. M. Measured c. v. on Reservation line 32.79  
to the N. W. Corner of Reservation

---

South Between Secs. 14 & 15.

3.50 a Creek 3 lks. wide es S. E.

40.00 Set q. Sec. post, from which  
a W. Oak 20 in. dia. bears N 88 E, 33 lks  
a Beech 20 " " " S 83 W, 38 "

48.13 Intersected c. v. Line of J. B. R. Reservation  
and Set first

a W. Oak. 8 in. dia bears N 45 W, 22 lks  
a Hickory 6 " " " N 80 E, 36 "

Land, 2<sup>nd</sup> rate Timber, B. & W. Oak Hickory  
W. Oak. Lionwood &c.

Measured west on Reserve line to the  
N. W. Corner of R. 18.81

---

East Between Secs. 10 & 15.

24.00 a B. Oak 24 in. dia.

40.00 Set q. Sec. post, from which  
a W. Oak 8 in. dia bears N 46 W, 25 lks.  
a Do 10 " " " S 55 E, 9 "

64.15 a Hickory 16 in. dia.

77.30 a Creek 5 lks. wide es S. W.

80.00 Set post Cor. Secs. 10, 11, 14 & 15 - from which  
a Hickory 20 in. dia. bears S 58 E, 13 lks  
a W. Oak 12 " " " N 67 W, 18 "  
Land 2<sup>nd</sup> rate Timber B. & W. Oak  
W. Oak, Hickory, Beech, Sugar, Lionwood

---

East Between Secs. 14 & 24.

427 Intersected E. Boundary or State line &  
Set post Cor. Secs. 11 & 14, from which  
a Sugar 10 in. dia bears S 55 W, 35 lks, Dist.  
a B. Oak 24 " " " N 27 W, 60 " "  
Land and Timber Same

462

S. 27 N. T. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

North Between Secs. 10 &amp; 11.

29.00 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 14 in. dia. bears N 75 E, 24 lks  
a Do 12 " " " N 83 W, 27 "

58.88 a Sugar 10 in. dia.

76.00 a Creek 3 lks wide ex E.

80.00 Set post Cor. Secs. 2, 3, 10 & 11, from which  
a Sugar 10 in. dia. bears N 65 E, 33 lks  
a Dogwood 6 " " " S 67 W, 26 "  
Land 2<sup>nd</sup> rate Timber W. Oak, Hickory,  
W. Ash, Beech, Sugar, &c. Ironwood,  
Hugle.

West On Random bet Secs. 3 &amp; 10.

21.00 a Beech 24 in. dia.

40.00 Set Temp. gr. Sec. post

80.05 Intersected N & S line 16 lks. S. of post  
Land, and Timber Same

East Correct line bet. Secs. 3 &amp; 10.

40 02 1/2 Set gr. Sec. post, from which

a Beech 12 in. dia. bears N 49 E, 18 lks  
a Bl. Ash 12 " " " S 33 W, 24 "

80.05 Section Corner.

East Between Secs. 2 &amp; 11

→ 4.69 Intersected State Line & Set post  
a Hickory 8 in. dia. bears N 49 W, 9 lks.  
a Beech 18 " " " S 44 W, 50 "  
Land, and Timber Same

North Between Secs. 2 &amp; 3.

16.00 a Creek 15 lks. wide ex. S. E.

22.00 a Do " " " S W.

22.65 an Elm 30 in. diam.

463

S. 27 N. Twp. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

2400 Same creek crs. S.E.

40.00 Set gn. Sec. post, from which  
a W. Oak 12 in. dia bears S 22 E, 4 ths.  
a Beech 10 " " " S 35 W, 26 "

64.77 a Cottonwood 10 in. dia.

79.30 Intersected N. Boundary 3.55 N. E.  
of post & set post cor. Sec. 2 & 3. fr. wh.  
a Poplar. 10 in. dia bears S 60 E. 38 ths.  
a Cottonwood 6 " " " S 48 W, 58 "  
Land, 2<sup>nd</sup> rate Timber Beech, Sugar,  
R. & W. Oak, Hickory W. Ash & Spice  
Surveyed in 1822.

By James Riley, Dep. sur.

---

For Meanders see next page.

I certify that the foregoing transcripts of  
Field Notes of Fractional Townships T<sup>wp</sup>  
27. North in Range 15 East 2<sup>nd</sup> Meridian  
in Indiana, has been compared with the  
original in this Office and found to be  
correct.

Surveyor General's Office  
Cincinnati April 3<sup>rd</sup> 1845.

William Johnston  
Sur. Genl.



464

S. 27 N. R. 15 E. 2<sup>nd</sup> Mer. "Ind. a"

Courses.	ch.	lks.	Meanders of Right Bank of the St. Mary's River in S. 27 N. R. 15 E. From post in line bet. <sup>2<sup>nd</sup></sup> Ranges 14 & 15 E. Thence up stream
S 89 E	2.	15	In sec. 7.
S 80 E	8.	00	a 6.50 a Brook 10 lks. wide N.E.
S 52 E	25.	40	To post in line of sec. 7 & 18.
S 80 E.	2.	35	In sec. 18.
S 55 E	21.	58	at 8.08 a Brook 10 lks. wide course N.E.
S 35 E.	9.	00	at 4.50 a Brook 10 lks. wide N.E.
S 23 E	4.	50	
S 3 E	9.	50	
S 32 E	8.	50	
S 73 E	16.	50	
S 60 E	5.	00	To post in line bet. <sup>2<sup>nd</sup></sup> sec. 17 & 18.
S 75 E	2.	34	In sec. 17.
S 60 E	6.	62	
S 45 E	6.	73	at 1.73 a Brook 8 lks. wide c. N.
S 13 W.	7.	00	
S 15 E	8.	65	
S 45 E	8.	19	
S 75 E	5.	00	Intersect post in line of sec. 17 & 20.
S 85 E	4.	38	In sec. 20.
S 69 E.	9.	00	
N 75 E	8.	00	
S 76 E	8.	24	
S 28 E	22.	96	at 2.46 Crossed 24 mile Creek Crs. N.E. at 21. a Brook 3 lks. wide c. N.
S 31. E	12.	00	
S 16 E	7.	83	Bottom.
S 10 W	7.	33	

S. 27 N.

No. 15 E. 2<sup>nd</sup> Mer.

Ind<sup>a</sup> 465

Courses. Chs. Lhs.

S 38 E. 15. 53.

To post in line of sec. 20 & 21.

S 33 E. 3. 95

Intersect Riviere's Reservation  
Line

Beginning again at post upper  
con. to Res. near the Mouth of  
27 Mile Creek. Thence up  
stream on Right Bank.

S 83 E 5. 00

at 21<sup>st</sup> 27 Mile Cr. 50<sup>th</sup> wide c. N.E.

S 38 E 12. 00

In sec. 26.

S 22 E 9. 00

S 56 E 8. 22

S 79 E 21. 00

at 9 a Brook 4<sup>th</sup> wide c. N.E.

S 82 E 4. 92

To post in line bet. sec. 26 & 27.

S 80 E 2. 88

Intersect State line, Between  
Ohio & Indiana. June 1822.

Meanders of Left Bank of the  
St. Mary's River. Beginning  
at post in Town line bet. R.  
14 & 15 E. Thence up stream -  
In sec. 7.

S 88 E 2. 65

S 73 E 7. 25

S 50 E 13. 50

S 56 E 7. 40

at 14.00 a Brook 4<sup>th</sup> wide c. S.W.

To post in line of sec. 7 & 18.

S 56 E 26. 10

In sec 18.

S 38 E 8. 24

S 5 E 15. 00

High Banks.

S 45 E 11. 04

S 78 E 9. 70

S 65 E 10. 69

To post in line of sec. 17 & 18.

S 60 E 8. 05

In sec. 17.

466 S. 27 N. 16. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Courses.	Ch <sup>d</sup> . L <sup>ts</sup>	
S 13 E	19.45	
S 50 E	8.70	To post in line of sec. 17 & 20. at 8 a Brook 4 <sup>th</sup> . wide c. s.
S 73 E	5.08	In sec. 20.
S 75 E	16.30	
N 79 E	7.00	
S 80 E	3.50	
S 40 E	7.00	High Bank.
S 26 E	13.50	
S 32 E	13.50	
S 19 E	8.00	at 1.50 a Brook 3 <sup>th</sup> . wide c. s.
S 5 W	9.18	
S 41 E	11.44	
S 35 E	6.90	To post in line of sec. 20 & 21.
S 35 E	7.60	In sec. 21.
S 64 E	15.35	To post in line of sec. 21 & 28.
S 77 E	13.37	In sec. 28.
N 59 E.	18.50	
S 57 E	6.00	
S 25 E	15.00	High Bank.
S 35 E	19.50	
S 48 E	8.11	To post in line bet. sec. 27 & 28. at 9.40 crossed Blue Creek 50 <sup>th</sup> . wide Course S. W.
S 48 E	2.04	In sec. 27.
S 77 E	9.85	
S 36 E	3.50	
S 64 W	7.50	
S 10 W	10.58	
S 48 E	6.89	
S 81 E	8.23	

467

T. 27 N. R. 15 E. 2<sup>nd</sup> Men. Indiana.

Courses. Ch. Lks

N 59 E 17.00

S 58 E 8.31

S 21 E 10.00

Bottom.

S 38 E 10.00

S 72 E 11.25

S 83 E 20.00

To post in line of sec. 26 & 27.

S 73 E 2.86

Intersect the State line -  
Between the States of Ohio  
and Indiana.

Surveyed in 1822.

By James Wiley,  
Dep. Sur.